



Granular Activated Alumina (Liquid Phase)

Carbonair's granular activated alumina possesses high porosity for fast diffusion rates and high surface area for large adsorptive capacity. This adsorbent media is particularly useful for the removal of low level ionic species such as arsenic. Unlike other anionic exchange resins, this media is not negatively affected by high hardness or sulphates in the process water.

Typical Applications

Groundwater, wastewater, and potable water.

Typical Contaminants

Arsenic

Typical Physical Properties*

Total pore volume	0.5 ml/gm
Porosity (> 750A)	0.13
Apparent density (dense packing)	40 lbs/ft ³
Mesh Size	8x14, 14x28

* Please consult with Carbonair for your specific application.

Florida

4710 Dignan St.
Jacksonville, FL 32254
904.387.4465 *General*
904.387.5058 *Fax*
800.241.7833 *Toll-free*
sales@carbonair.com

Minnesota

7500 Boone Ave. N. #101
Brooklyn Park, MN 55428
763.315.4771 *General*
763.315.4614 *Fax*
800.526.4999 *Toll-free*
sales@carbonair.com

Texas

4889 Hunter Rd. Bldg 1-C
San Marcos, TX 78666
512.392.0085 *General*
512.392.0066 *Fax*
800.893.5937 *Toll-free*
sales@carbonair.com

Virginia

4003 West Main St.
Salem, VA 24153
540.380.5913 *General*
540.380.5920 *Fax*
800.204.0324 *Toll-free*
sales@carbonair.com